

# WAIST-CLIP TURBO FAN

## B2B Wholesale Specification Sheet

Models GS5 · GS6 | 10,000 mAh | OEM / ODM Ready

*Prepared for: Wholesale Buyers · Private Label Brands · Import Distributors*

Rev. 2026-06 | Confidential — for buyer evaluation only

## 1. Product Overview

A 10,000 mAh handsfree waist-clip turbo fan engineered for personal body cooling in high-temperature work environments and outdoor activities. Two industrial design options share the same battery platform and electronics, allowing buyers to mix SKUs in a single container without MOQ penalty.

Target channels: industrial safety distributors, last-mile delivery fleets, hospitality groups, outdoor recreation retailers, corporate gifting houses, and Amazon FBA private-label brands.

### Key Selling Points

- 10,000 mAh A-grade lithium polymer battery — 5h on level 1, 1.5h on turbo
- Brushless turbo motor, 12,000 RPM, 7.2 m/s outlet velocity
- 5-speed adjustment with LCD readout for battery % and speed level
- Built-in LED flashlight (double-tap power button)
- Handsfree wear: rear belt clip + included neck strap (waist OR chest carry)
- USB-C charging, 4h full charge at 5V/2A
- 300 g lightweight, IPX4 splash-resistant housing
- Operating range: -10°C to 50°C (suitable for industrial environments)
- Certifications: CE, FCC, RoHS, MSDS, UN38.3

## 2. Two Models — Same Platform

| Attribute               | GS5 — Cylindrical                    | GS6 — Square                                   |
|-------------------------|--------------------------------------|--|
| Form factor             | Cylindrical, ergonomic for hip carry | Square cuboid, flat-back for belt clip         |
| Dimensions              | 98 × 50 × 72 mm                      | 90 × 98 × 40 mm                                |
| Net weight              | 300 g                                | 300 g  |
| Stock colors            | Black / Gray / Army Green            | Army Green / Orange / Forest Green             |
| Best channel fit        | Premium retail, recreation, gifting  | Industrial safety, workwear, mass distribution |
| Custom color MOQ        | 1,000 pcs                            | 1,000 pcs                                      |
| Tooling cost (full ODM) | Quoted on request                    | Quoted on request                              |

### 3. Technical Specifications — GS5

|                        |   |
|------------------------|---|
| <b>Model</b>           | GS5   |
| <b>Body type</b>       | Cylindrical with diamond-texture grille, soft-touch shell |
| <b>Dimensions</b>      | 98 × 50 × 72 mm   |
| <b>Net weight</b>      | 300 g   |
| <b>Battery</b>         | 10,000 mAh / 3.7 V lithium polymer (A-grade cells)        |
| <b>Input</b>           | 5V / 2A, USB-C  |
| <b>Charge time</b>     | ~4 hours  |
| <b>Air velocity</b>    | 7.2 m/s (turbo) / 3.5 m/s (level 1)                       |
| <b>Speeds</b>          | 5 (button cycle)  |
| <b>Run time</b>        | Level 1: ~5h · Level 3: ~3h · Turbo: ~1.5h                |
| <b>Motor</b>           | Brushless, 12,000 RPM                                     |
| <b>Display</b>         | LCD — battery % and speed level                           |
| <b>Lighting</b>        | Built-in LED, activated by double-tap power button        |
| <b>IP rating</b>       | IPX4  |
| <b>Operating temp.</b> | -10°C to 50°C   |
| <b>Wear options</b>    | Rear belt clip + included neck/shoulder strap             |
| <b>Colors (stock)</b>  | Black, Gray, Army Green                                   |
| <b>Cycle life</b>      | 500+ cycles to 80% capacity                               |

## 4. Technical Specifications — GS6

|                        |  |
|------------------------|--|
| <b>Model</b>           | GS6  |
| <b>Body type</b>       | Square cuboid with reinforced rubber edge bumpers  |
| <b>Dimensions</b>      | 90 × 98 × 40 mm                                    |
| <b>Net weight</b>      | 300 g  |
| <b>Battery</b>         | 10,000 mAh / 3.7 V lithium polymer (A-grade cells) |
| <b>Input</b>           | 5V / 2A, USB-C                                     |
| <b>Charge time</b>     | ~4 hours   |
| <b>Air velocity</b>    | 7.2 m/s (turbo) / 3.5 m/s (level 1)                |
| <b>Speeds</b>          | 5 (button cycle)                                   |
| <b>Run time</b>        | Level 1: ~5h · Level 3: ~3h · Turbo: ~1.5h         |
| <b>Motor</b>           | Brushless, 12,000 RPM                              |
| <b>Display</b>         | LCD — battery % and speed level                    |
| <b>Lighting</b>        | Built-in LED, activated by double-tap power button |
| <b>IP rating</b>       | IPX4   |
| <b>Operating temp.</b> | -10°C to 50°C                                      |
| <b>Wear options</b>    | Heavy-duty metal belt clip + neck/shoulder strap   |
| <b>Colors (stock)</b>  | Army Green, Orange, Forest Green                   |
| <b>Cycle life</b>      | 500+ cycles to 80% capacity                        |

## 5. Packaging & Logistics

### Retail Pack (default)

|                         |  |
|-------------------------|--|
| <b>Inner box</b>        | Color box, 4-color offset print, generic or custom artwork                                   |
| <b>Box contents</b>     | 1 × Fan unit, 1 × USB-C cable (50 cm), 1 × Neck/shoulder strap, 1 × User manual (multi-lang) |
| <b>Box dimensions</b>   | Approx. 130 × 110 × 70 mm  |
| <b>Gift-pack weight</b> | Approx. 0.45 kg  |

### Master Carton & Container Load

|                             |                                      |
|-----------------------------|--------------------------------------|
| <b>Master carton qty</b>    | 24 pcs / CTN                         |
| <b>Master carton size</b>   | ~ 555 × 340 × 235 mm                 |
| <b>Master carton GW</b>     | ~ 12 kg                              |
| <b>Master carton volume</b> | ~ 0.045 m <sup>3</sup>               |
| <b>20'GP load</b>           | ~ 14,000 pcs                         |
| <b>40'HQ load</b>           | ~ 32,000 pcs                         |
| <b>Loading port</b>         | Shenzhen / Yantian / Guangzhou (FOB) |
| <b>Air shipment</b>         | OK — UN38.3 + MSDS reports included  |

## 6. Commercial Terms

| Service tier              | MOQ       | Lead time  | Customization scope                                 |
|---------------------------|-----------|------------|---|
| Stock — generic packaging | 500 pcs   | 5–7 days   | No customization                                    |
| White label (logo + box)  | 500 pcs   | 12–15 days | Logo printing on housing + custom outer box artwork |
| Co-brand (custom color)   | 1,000 pcs | 20 days    | Pantone color + custom box + insert card            |
| Full ODM (custom tooling) | 3,000 pcs | 45–60 days | Custom housing, electronics, packaging              |

### Payment Terms

- T/T: 30% deposit, 70% balance against B/L copy

- L/C at sight: accepted for orders over USD \$30,000
- PayPal / Alipay: for samples and small orders under USD \$3,000
- Trade Assurance (Alibaba): supported up to USD \$50,000

## Sample Policy

- Sample fee USD \$XX per unit (replace before sending to buyer)
- Express courier: DHL / FedEx / UPS, 3–7 days door-to-door
- Sample fee refunded on bulk orders  $\geq 1,000$  pcs
- Logo-printed pre-production sample available for confirmation

## 7. Compliance & Certifications

|                     |   |
|---------------------|---|
| <b>CE</b>           | EMC + LVD, valid for EU market                                      |
| <b>FCC</b>          | Part 15 Class B, valid for US market                                |
| <b>RoHS</b>         | EU 2011/65/EU, lead-free compliant                                  |
| <b>UN38.3</b>       | Lithium battery air transport report                                |
| <b>MSDS</b>         | Material safety data sheet for sea and air freight                  |
| <b>BSCI / Sedex</b> | Available on request for retail-chain buyers                        |
| <b>Amazon FBA</b>   | Compliance pack (UN38.3 + FCC ID) provided for product registration |

## 8. OEM / ODM Capability

### Branding

- Logo: silk printing, laser engraving, or pad printing on housing
- Custom Pantone color matching (MOQ 1,000 pcs)
- Custom retail box: 4-color offset, hot stamping, soft-touch finish
- Insert card / user manual in any language, designed in-house

### Hardware Customization

- Custom battery capacity: 5,000 / 8,000 / 10,000 / 15,000 mAh
- Custom motor curve and noise tuning
- Add-on modules: removable bladeless duct, neck cuff attachment, magnetic clip
- Firmware customization for branded LCD startup animation

## 9. Frequently Asked by Buyers

### Q: Can you ship directly to Amazon FBA warehouses?

A: Yes. We provide FBA labels, polybag, and master carton labels. DDP available for US / EU / UK / CA / AU / MX.

### Q: Is the battery legal for international air freight?

A: Yes. UN38.3 and MSDS reports are included and accepted by DHL, FedEx, UPS, and major air freight forwarders.

### Q: Can I order multiple SKUs in one container?

A: Yes, with no extra MOQ above 500 pcs per SKU. Mix GS5 and GS6, or different colors freely.

### Q: What is your defect / RMA policy?

A: 12-month limited warranty. Pre-shipment AQL 2.5 inspection. Free replacement units shipped with next order for any verified DOA above 0.5%.

**Q: Do you provide videos, lifestyle photos, and Amazon A+ content?**

A: Yes, brand-neutral asset pack provided to all wholesale buyers above 2,000 pcs. Custom asset shooting available for ODM clients.

## 10. Request a Quote

Send us your target market, model, color, quantity, and packaging needs. We will respond within 24 hours (GMT+8, Mon–Sat) with a detailed quotation, sample photos, and a draft Proforma Invoice.

|                      |                                     |
|----------------------|-------------------------------------|
| <b>Company</b>       | REKEKE / Shenzhen XXX Tech Co., Ltd |
| <b>Email</b>         | sales@yourdomain.com                |
| <b>WhatsApp</b>      | +86 XXX XXXX XXXX                   |
| <b>WeChat</b>        | XXXXXXXX                            |
| <b>Alibaba</b>       | yourshop.en.alibaba.com             |
| <b>Made-in-China</b> | yourshop.made-in-china.com          |
| <b>Website</b>       | www.yourdomain.com                  |
| <b>Address</b>       | Shenzhen, Guangdong, China          |